ELSEVIER

Wear 215 (1998) 279

WEAR

Author Index of Volume 215

Akbulut, H., 170

Bala Srinivasan, P., 123
Barquins, M., 137
Bouissou, S., 137
Bricout, J.P., 1

Castro, J., 104, 114
Chang, T.P., 191

de With, G., 77
Dickinson, J.T., 211
Dizdar, S., 156
Dubar, L., 1
Dubois, A., 1
Durman, M., 170

Fang, H.S., 46
Fang, Z., 205
Faultersack, W., 211

Grady, N., 146

Han, H.-G., 25
He, D.H., 146
Hector Jr., L.G., 247, 257

in't Veld, F.H., 131
Ishii, K., 232
Iyer, K.J.L., 123

Jiang, G.B., 46
Jiang, M., 267

Keer, L.M., 191
Knutsen, R.D., 83
Komanduri, R., 267
Komarovsky, I., 18
Kong, H., 25
Krishnaraj, N., 123
Kwon, O.-K., 25
Kyung Kim, S., 91

Langford, S.C., 211
Lazzarotto, L., 1
Li, B., 232
Li, S., 34
Liu, W., 40, 165
Luer, K., 180

Ma, S., 165
Magalhães, L., 237
Manory, R.R., 146
Mills, D.J., 83
Mishina, H., 10
Myshkin, N.K., 25

Olofsson, U., 156
Oomen, I., 77
Oudin, J., 1

Persson, U., 54
Petit, J.P., 137
Polonsky, I.A., 191
Prabhakaran, V., 91
Pungwiwat, N., 67

Qi, S., 165
Qiao, Y., 165

Ravassard, P., 1

Samajdar, I., 223
Saravanan, R.A., 223
Sasaki, Y., 232
Schmid, S.R., 247, 257
Seabra, J., 104, 114, 237
Skerka, G.J.E., 77
Slikkerveer, P.J., 77, 131
Sproul, W.D., 191
Stack, M.M., 67
Su, Y.L., 59
Sun, Y., 232
Sundaresan, S., 123
Surappa, M.K., 223

Talke, F.E., 91

Ueki, M., 98

Verspui, M.A., 77

Wally, P., 98
Wang, B.-Q., 180
Wang, T., 232
Wei, C.S., 59
Wu, C.T., 59

Xu, B., 165
Xue, Q., 40, 165

Yan, L., 205
Yang, D., 232
Yang, L., 34
Yang, Y.Y., 46
Yao, S.H., 59
Yilmaz, F., 170
Yoon, E.-S., 25
Yoshisaki, H., 211
Youbai, X., 205

Zakharov, S., 18
Zhang, J., 34
Zhang, Z., 40
Zharov, I., 18
Zheng, Y.K., 46
Zhigang, Y., 205
Zhu, D., 34

Elsevier Science S.A.

ELSEVIER

Wear 215 (1998) 281–284

WEAR

Subject Index of Volume 215

Abrasion
an investigation of the tribological behaviour of a high-nitrogen Cr–Mn austenitic stainless steel, 83
Abrasive jet machining
towards prediction of flux effects in powder blasting nozzles, 131
Adhesive wear
surface deformation and formation of original element of wear particles in sliding friction, 10
Al–Si
dry wear and friction properties of δ-Al_2O_3 short fiber reinforced Al–Si (LM 13) alloy metal matrix composites, 170
Alumina
a note on the construction of materials performance maps for resistance to erosion in aqueous slurries, 67
Asperity plowing
simulation of asperity plowing in an atomic force microscope. Part I: Experimental and theoretical methods, 247
Atomic force microscope
simulation of asperity plowing in an atomic force microscope. Part I: Experimental and theoretical methods, 247
simulation of asperity plowing in an atomic force microscope. Part II: plowing of aluminum alloys, 257
Austempered ductile iron
wear and scuffing of austempered ductile iron gears, 237

Bainitic Steel
cavitation erosion of bainitic steel, 46
Bed ash
the relative erosivity of limestone, dolomite and coal samples from an operating boiler, 180
Borate
the tribochemical mechanism of the borate modified by N-containing compound as oil additive, 165
Borosilicate glass
validation of the erosion map for spherical particle impacts on glass, 77
Boundary film
the tribochemical mechanism of the borate modified by N-containing compound as oil additive, 165
Boundary layers
surface analysis of boundary-lubricated spherical roller thrust bearings, 156
Boundary lubrication
surface analysis of boundary-lubricated spherical roller thrust bearings, 156

Cavitation
cavitation erosion of bainitic steel, 46
Cavitation erosion
an investigation of the tribological behaviour of a high-nitrogen Cr–Mn austenitic stainless steel, 83
Cerium oxide
on the finishing of Si_3N_4 balls for bearing applications, 267
Chemo–mechanical polishing (CMP)
on the finishing of Si_3N_4 balls for bearing applications, 267
Coal
the relative erosivity of limestone, dolomite and coal samples from an operating boiler, 180
Combustion synthesis
tribological properties of transition metal carbosulfides and carbosulfide-metal composites, 98
Composite
tribological properties of transition metal carbosulfides and carbosulfide-metal composites, 98
Compound layer
optimization of compound layer thickness for wear resistance of nitrocarburized H11 steels, 123
Condition monitoring
revision to the concept of equilibrium concentration of particles in lubrication system of machines, 205
Corrosion
a note on the construction of materials performance maps for resistance to erosion in aqueous slurries, 67
Cracks
cavitation erosion of bainitic steel, 46
Current collector (pantograph and pole shoe) materials
wear of railway contact wires against current collector materials, 146

Dislocation substructures
microstructural characterisation of the subsurface plastic zone formed during erosion of A356 Al alloy and composites, 223
Dolomite
the relative erosivity of limestone, dolomite and coal samples from an operating boiler, 180

EHD lubrication
scuffing and lubricant film breakdown in FZG gears. Part I. Analytical and experimental approach, 104
scuffing and lubricant film breakdown in FZG gears. Part II. New PV scuffing criteria, lubricant and temperature dependent, 114
Equilibrium concentration
revision to the concept of equilibrium concentration of particles in lubrication system of machines, 205
Erosion
a note on the construction of materials performance maps for resistance to erosion in aqueous slurries, 67
towards prediction of flux effects in powder blasting nozzles, 131
microstructural characterisation of the subsurface plastic zone formed during erosion of A356 Al alloy and composites, 223
Erosion map
validation of the erosion map for spherical particle impacts on glass, 77
Erosivity
the relative erosivity of limestone, dolomite and coal samples from an operating boiler, 180

Elsevier Science S.A.

Extreme pressure additives
a selection methodology for lubricating oils in cold metal forming processes, 1

Factor
analyses and design of a WC milling cutter with TiCN coating, 59
Fatigue life of rolling bearings
a study of rolling-contact fatigue of bearing steel coated with physical vapor deposition TiN films: Coating response to cyclic contact stress and physical mechanisms underlying coating effect on the fatigue life, 191
Fats
a selection methodology for lubricating oils in cold metal forming processes, 1
Ferrography
revision to the concept of equilibrium concentration of particles in lubrication system of machines, 205
Film thickness
scuffing and lubricant film breakdown in FZG gears. Part I. Analytical and experimental approach, 104
scuffing and lubricant film breakdown in FZG gears. Part II. New PV scuffing criteria, lubricant and temperature dependent, 114
Finishing of ceramic balls
on the finishing of Si_3N_4 balls for bearing applications, 267
Forward extrusion
a selection methodology for lubricating oils in cold metal forming processes, 1
Friction
evaluation of the wear life of MoS_2-bonded-films in tribo-testers with different contact configuration, 25
normal load, slip rate and roughness influence on the PMMA dynamics of sliding. 2. Characterisation of the stick–slip phenomenon, 137
dry wear and friction properties of δ-Al_2O_3 short fiber reinforced Al–Si (LM 13) alloy metal matrix composites, 170
Frictional heating
evaluation of the wear life of MoS_2-bonded-films in tribo-testers with different contact configuration, 25
Frictional surface microscope
surface deformation and formation of original element of wear particles in sliding friction, 10
Friction and wear
unlubricated friction and wear behaviour of zirconia ceramics, 232
Friction test
a selection methodology for lubricating oils in cold metal forming processes, 1
FZG test rig
wear and scuffing of austempered ductile iron gears, 237

Galvanic corrosion
application of transient current measurements: evidence for galvanic corrosive wear of aluminum by a polyperfluoroether lubricant, 211
GD-OES
surface analysis of boundary-lubricated spherical roller thrust bearings, 156
Gear
wear and scuffing of austempered ductile iron gears, 237
Gears
scuffing and lubricant film breakdown in FZG gears. Part I. Analytical and experimental approach, 104
scuffing and lubricant film breakdown in FZG gears. Part II. New PV scuffing criteria, lubricant and temperature dependent, 114
Grease additive
friction and wear behaviors of the complexes of rare earth hexadecylate as grease additive, 40

Hard protective coatings
a study of rolling-contact fatigue of bearing steel coated with physical vapor deposition TiN films: Coating response to cyclic contact stress and physical mechanisms underlying coating effect on the fatigue life, 191
Head
tribology of the helical scan head tape interface, 91
Helical
tribology of the helical scan head tape interface, 91
High-nitrogen steel
an investigation of the tribological behaviour of a high-nitrogen Cr–Mn austenitic stainless steel, 83
Humidity
tribology of the helical scan head tape interface, 91

Indentor–workpiece interface
simulation of asperity plowing in an atomic force microscope. Part I: Experimental and theoretical methods, 247
In-process measurement
in-process measurement of surface roughness using light scattering, 54
Instabilities in MMCs
microstructural characterisation of the subsurface plastic zone formed during erosion of A356 Al alloy and composites, 223

Lanxide Al_2O_3/Al composite
wear behavior of Lanxide Al_2O_3/Al composite, 34
Level
analyses and design of a WC milling cutter with TiCN coating, 59
Light scattering
in-process measurement of surface roughness using light scattering, 54
Limestone
the relative erosivity of limestone, dolomite and coal samples from an operating boiler, 180
Lubricating oils
a selection methodology for lubricating oils in cold metal forming processes, 1
Lubrication
wear behavior of Lanxide Al_2O_3/Al composite, 34

Magnetic disk tribology
application of transient current measurements: evidence for galvanic corrosive wear of aluminum by a polyperfluoroether lubricant, 211
Magnetic float polishing
on the finishing of Si_3N_4 balls for bearing applications, 267
Metal matrix composites
microstructural characterisation of the subsurface plastic zone formed during erosion of A356 Al alloy and composites, 223
Mineralogy
the relative erosivity of limestone, dolomite and coal samples from an operating boiler, 180
MMCs
dry wear and friction properties of δ-Al_2O_3 short fiber reinforced Al–Si (LM 13) alloy metal matrix composites, 170
MoS_2-bonded-film
evaluation of the wear life of MoS_2-bonded-films in tribo-testers with different contact configuration, 25

Nitrocarburizing
optimization of compound layer thickness for wear resistance of nitrocarburized H11 steels, 123
Normal load
normal load, slip rate and roughness influence on the PMMA dynamics of sliding. 2. Characterisation of the stick–slip phenomenon, 137
Nozzles
towards prediction of flux effects in powder blasting nozzles, 131

5182-O
simulation of asperity plowing in an atomic force microscope. Part II: plowing of aluminum alloys, 257
Oil additives
the tribochemical mechanism of the borate modified by N-containing compound as oil additive, 165
Oil sampling
revision to the concept of equilibrium concentration of particles in lubrication system of machines, 205
On-line ferrograph
revision to the concept of equilibrium concentration of particles in lubrication system of machines, 205
Original element of wear particle
surface deformation and formation of original element of wear particles in sliding friction, 10

Particle collision
towards prediction of flux effects in powder blasting nozzles, 131
Percentage contribution
analyses and design of a WC milling cutter with TiCN coating, 59
Perfluoropolyether lubricants
application of transient current measurements: evidence for galvanic corrosive wear of aluminum by a polyperfluoroether lubricant, 211
Phase transformation
unlubricated friction and wear behaviour of zirconia ceramics, 232
Pin and V-block test
evaluation of the wear life of MoS_2-bonded-films in tribo-testers with different contact configuration, 25
Pin-on-disc
optimization of compound layer thickness for wear resistance of nitrocarburized H11 steels, 123
Pits
cavitation erosion of bainitic steel, 46
Plow track geometry
simulation of asperity plowing in an atomic force microscope. Part I: Experimental and theoretical methods, 247
PMMA
normal load, slip rate and roughness influence on the PMMA dynamics of sliding. 2. Characterisation of the stick–slip phenomenon, 137
Powder blasting
towards prediction of flux effects in powder blasting nozzles, 131
Pure aluminum
simulation of asperity plowing in an atomic force microscope. Part II: plowing of aluminum alloys, 257

Quantitative depth profile analysis
surface analysis of boundary-lubricated spherical roller thrust bearings, 156

Rail
wheel flange/rail head wear simulation, 18
Rare earth hexadecylates
friction and wear behaviors of the complexes of rare earth hexadecylate as grease additive, 40
Ring-on-block tester
evaluation of the wear life of MoS_2-bonded-films in tribo-testers with different contact configuration, 25
Rolling–sliding
wheel flange/rail head wear simulation, 18
Rolling-contact fatigue testing
a study of rolling-contact fatigue of bearing steel coated with physical vapor deposition TiN films: Coating response to cyclic contact stress and physical mechanisms underlying coating effect on the fatigue life, 191
Roughness
normal load, slip rate and roughness influence on the PMMA dynamics of sliding. 2. Characterisation of the stick–slip phenomenon, 137

Salt bath
optimization of compound layer thickness for wear resistance of nitrocarburized H11 steels, 123
Scuffing
scuffing and lubricant film breakdown in FZG gears. Part I. Analytical and experimental approach, 104
scuffing and lubricant film breakdown in FZG gears. Part II. New PV scuffing criteria, lubricant and temperature dependent, 114
wear and scuffing of austempered ductile iron gears, 237
Shear bands
microstructural characterisation of the subsurface plastic zone formed during erosion of A356 Al alloy and composites, 223
Short fiber
dry wear and friction properties of δ-Al_2O_3 short fiber reinforced Al–Si (LM 13) alloy metal matrix composites, 170
Signal-to-noise ratio
analyses and design of a WC milling cutter with TiCN coating, 59
Silicon carbide
a note on the construction of materials performance maps for resistance to erosion in aqueous slurries, 67
Silicon nitride
on the finishing of Si_3N_4 balls for bearing applications, 267
Single impacts
validation of the erosion map for spherical particle impacts on glass, 77
Sliding friction
surface deformation and formation of original element of wear particles in sliding friction, 10
Sliding wear
optimization of compound layer thickness for wear resistance of nitrocarburized H11 steels, 123
dry wear and friction properties of δ-Al_2O_3 short fiber reinforced Al–Si (LM 13) alloy metal matrix composites, 170
Slip rate
normal load, slip rate and roughness influence on the PMMA dynamics of sliding. 2. Characterisation of the stick–slip phenomenon, 137
Solid lubricant
tribological properties of transition metal carbosulfides and carbosulfide-metal composites, 98
Spherical particles
validation of the erosion map for spherical particle impacts on glass, 77
Spherical roller thrust bearings
surface analysis of boundary-lubricated spherical roller thrust bearings, 156
Stain
tribology of the helical scan head tape interface, 91
Stick–slip
normal load, slip rate and roughness influence on the PMMA dynamics of sliding. 2. Characterisation of the stick–slip phenomenon, 137
Stochastic process
revision to the concept of equilibrium concentration of particles in lubrication system of machines, 205
Surface defects
a selection methodology for lubricating oils in cold metal forming processes, 1
Surface deformation
surface deformation and formation of original element of wear particles in sliding friction, 10
Surface distress
a study of rolling-contact fatigue of bearing steel coated with physical vapor deposition TiN films: Coating response to cyclic contact stress and physical mechanisms underlying coating effect on the fatigue life, 191
Surface roughness
in-process measurement of surface roughness using light scattering, 54

a study of rolling-contact fatigue of bearing steel coated with physical vapor deposition TiN films: Coating response to cyclic contact stress and physical mechanisms underlying coating effect on the fatigue life, 191
Surface topography
surface analysis of boundary-lubricated spherical roller thrust bearings, 156

7150-T6
simulation of asperity plowing in an atomic force microscope. Part II: plowing of aluminum alloys, 257
Tantalum carbosulfide
tribological properties of transition metal carbosulfides and carbosulfide-metal composites, 98
Tape
tribology of the helical scan head tape interface, 91
Texture
unlubricated friction and wear behaviour of zirconia ceramics, 232
The-Smaller-The-Better
analyses and design of a WC milling cutter with TiCN coating, 59
Topography
in-process measurement of surface roughness using light scattering, 54
Trains and trams
wear of railway contact wires against current collector materials, 146
Transient current measurements
application of transient current measurements: evidence for galvanic corrosive wear of aluminum by a polyperfluoroether lubricant, 211
Transition metal carbosulfide
tribological properties of transition metal carbosulfides and carbosulfide-metal composites, 98
Tribochemistry
the tribochemical mechanism of the borate modified by N-containing compound as oil additive, 165
Tribological behaviour
wear of railway contact wires against current collector materials, 146
Tribological properties
friction and wear behaviors of the complexes of rare earth hexadecylate as grease additive, 40
Tribology
tribological properties of transition metal carbosulfides and carbosulfide-metal composites, 98
Trolley contact wires
wear of railway contact wires against current collector materials, 146

Wear
evaluation of the wear life of MoS_2-bonded-films in tribo-testers with different contact configuration, 25
wear behavior of Lanxide Al_2O_3/Al composite, 34
tribology of the helical scan head tape interface, 91
surface analysis of boundary-lubricated spherical roller thrust bearings, 156
wear and scuffing of austempered ductile iron gears, 237
Wear life
evaluation of the wear life of MoS_2-bonded-films in tribo-testers with different contact configuration, 25
Wear mechanism
surface deformation and formation of original element of wear particles in sliding friction, 10
wear behavior of Lanxide Al_2O_3/Al composite, 34
Wear mechanisms
dry wear and friction properties of δ-Al_2O_3 short fiber reinforced Al–Si (LM 13) alloy metal matrix composites, 170
Wear modes
wheel flange/rail head wear simulation, 18
Wheel
wheel flange/rail head wear simulation, 18

XPS
friction and wear behaviors of the complexes of rare earth hexadecylate as grease additive, 40
XPS and AES analyses
the tribochemical mechanism of the borate modified by N-containing compound as oil additive, 165

Zirconia ceramic
unlubricated friction and wear behaviour of zirconia ceramics, 232